


CERTIFICATE OF ANALYSIS

Name of Product	: Antioxidant Synergy
Lot Number	: 010722
Specification No	: 0596
Best-if-used-by	: 07/25
Checking of raw material analysis certificates	: Conforms
Presentation	: Bottle of Capsules

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Brown Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	60	Conforms
4- Weight of capsule	480 mg. + - 5	480 mg (average)
5-Empty capsule	'0' Veggie Clear	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of	Less than 15 minutes	5 minutes
Disintegration: in		
Simulated gastric		
Fluids USP <2040>		



 Signature of Analyst

11/07/2022
 Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.