


SuperSmart®

CERTIFICATE OF ANALYSIS

Name of Product : Bone Morphogenetic Proteins
Lot Number : 1920523
Specification No : 0663
Best-if-used-by : 05/26
Checking of raw material analysis certificates : Conforms
Presentation : Blister/ Primary Box

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	30	Conforms
4- Weight of capsule	575 mg. + - 5%	580 mg (average)
5-Empty capsule	'0' DR. CAPS	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	Less than 15 minutes



Signature of Analyst

11/13/2023
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.