



INNOVATION AND EXCELLENCE SINCE 1992

Customer: **SMART**
CERTIFICATE ANALYSIS PRODUCT FINISHED
 Product: **TAURINE 1G 100 CP** Code **LU907**
 N°PNT Reference **MAPA LU907** Batch/N°analysis: **1901 07 2022**

| CONCEPT | | RESULTS | | |
|--------------------------------------|------------------------------------|-------------------------------------|----------------------------|----------|
| Presentation | | 100 tablets of Taurine on Storages. | | |
| Date Fabrication | | JULY 2019 | | |
| Analyses of samples | | As documents in process | | |
| Expire day | | JULY 2022 | | |
| Production order number | | 074696 | | |
| Bottling order number | | 074698 | | |
| Raw Material certificate inspection | | Correct | | |
| Bottling Material inspection | | Correct | | |
| Process certificates review | | Correct | | |
| | Analysis | Méthod | Specifications | Results |
| Organoleptics Properties | Aspect | Visual Control | Tablets. | Correct |
| | Odor | Olfactory Control | S/Ref. | Correct |
| | Taste | Taste Control | S/ref. | Correct |
| | Colour | Visual Control | White. | Correct |
| Physichal-chemical Parameters | Average | Average | $\geq 1330 \leq 1505$ mg. | 1426 mg. |
| | Uniformity mass | F. Eur 3 ^a ed., 2.9.5. | $\geq 1330 \leq 1505$ mg. | 1418 mg. |
| | Height | Pié de rey | $\geq 10,00 \leq 10,20$ mm | 10 mm |
| | Hardness | FEE007 | $\geq 4 \leq 7$ | 4 Kp |
| | Wet | FEE011 60°C 60 hPa 2h | ≤ 6 % | 4 % |
| | Friability | FEE025 | ≤ 1 % | 0,4 % |
| Packaging | Time dispersion | Water very hot | ≤ 8 min. | 4 min. |
| | Aspect Storage | Visual Control | White | Correct |
| Marking Label | N° tablets/storage | Visual Control | 100 | Correct |
| | Batch/ Expire day | Control Visual | 1901 07 2022 | Correct |
| Quantities | Printer | Control Visual | TAURINE | Correct |
| | Ingredients mg./cáp: | As specifications Customer | | |
| Units per bottle | 73 Storages in a Box. | | | Correct |
| Units | Results: 1011 storages. | | | |
| Preservation | Dry place and To keep out of light | | | |

Date: 05/07/2019