

CERTIFICATE OF ANALYSIS

Name of Product : Resveratrol Synergy
 Lot Number : 901021
 Specification No : 0605
 Best-if-used-by : 10/23
 Checking of raw material analysis certificates: Conforms
 Presentation : Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Greenish Brown	Positive
2- Identification	Positive	Positive
3-No. of capsules/bottle	60	Conforms
4- Weight of capsule USP<2091>	490 mg. + - 5%	493 mg (average)
5-Size	'0' Veggie	Conforms

6- Less than 95 per gram USP<2021>		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative


7- Pesticides Negative Negative

8- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

9- Time of Less than 15 minutes <15 min

Disintegration: in
 Simulated gastric
 Fluids USP <2040>



 Signature of Analyst

03/14/2022

 Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.