

## CERTIFICATE OF ANALYSIS

Name of Product : Celery 3NB  
Lot Number : 060523  
Specification No : 0693  
Best-if-used-by : 05/26  
Checking of raw material analysis certificates: Conforms  
Presentation : Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Off white Capsule	Positive
2- Identification	Positive	Positive
3- No. of capsules/bottle	100	Conforms
4- Weight of capsules USP<2091>	535 mg. + - 10%	538 mg (average)
5- Size	'0' Veggie	Conforms

6- Less than 95 per gram USP<2021>

Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7- Pesticides                      Negative                      Negative

8- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

9- Time of                      Less than 15 minutes                      <15 min

Disintegration: in  
Simulated gastric  
Fluids USP <2040>

  
\_\_\_\_\_  
Signature of Analyst

11/09/2023  
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.